

CENTERVILLE CITY COUNCIL
WORK SESSION MEETING
JULY 18, 1988

TIME: 7:30 P.M.
PLACE: Centerville Municipal Building, Caucus Room

PRESENT: Mayor Shirley Heintz
Deputy-Mayor James Singer
Councilmembers J. V. Stone
Brooks Compton
Sally Beals
Bernard Samples
Jeffrey Siler
Clerk of Council Marilyn McLaughlin
City Manager Darryl Kenning
Administrative Assistant Stephen King

Mr. Kenning advised that the issuance of Ohio license plates may be available in the building behind the Centerville Municipal Building later this month.

Mr. Kenning reviewed for Council a Meeting held by the Dayton Area Chamber of Commerce concerning the Pace Magazine. Upon question of Mr. Kenning, the majority of Council concurred that the City of Centerville place a small institutional advertisement in this magazine when the opportunity presents itself.

Mr. Kenning announced the receipt of a letter of approval from the Ohio Department of Transportation to proceed with the Whipp Road improvement from State Route 48 to the old railroad tracks right-of-way. Funding for the Preliminary Engineering for this three lane roadway will be discussed at a future Council Work Session Meeting.


Mr. Kenning reviewed progress made with the Dayton Power and Light Company relative to street lighting. It appears that the present Contract will be extended for an additional 12 to 18 months with no increase in cost.

Mr. Kenning advised that two vehicles have been received by the City of Centerville through confiscation procedures.

Mr. Kenning advised that residents in Montgomery County remain on a voluntary restraint watering program. However, mandatory ban is a possibility if the rain deficiency continues to exist.

Mr. Kenning reviewed the fact that residents on Waterford Drive are in favor of the installation of sidewalks. Council concurred that if at least 60% of the residents are in favor of sidewalk installation, the City of Centerville cooperate on a 50/50 assessment basis.


Marilyn J. McLaughlin
Clerk of Council

Approved: 
Mayor

