

RESOLUTION NO. 4-90

CITY OF CENTERVILLE, OHIO

SPONSORED BY COUNCILMAN J. V. Stone ON THE  
16th DAY OF April, 1990.

A RESOLUTION ACCEPTING THE BIDS OF THE TdM CONSTRUCTION COMPANY AND THE L. P. CAVETT COMPANY FOR 1990 ROAD IMPROVEMENTS FOR THE CITY OF CENTERVILLE, OHIO, AND TO AUTHORIZE THE CITY MANAGER TO ENTER INTO A CONTRACT IN CONNECTION THEREWITH.


WHEREAS, the City advertised for bidders for 1990 Road Improvements in the City of Centerville, Ohio, pursuant to specifications prepared by the City; and

WHEREAS, the L. P. Cavett Company submitted the low and best bid for Part #1 Asphalt, and the TdM Construction Company submitted the low and best bid for Part #2 Concrete.

NOW, THEREFORE, THE MUNICIPALITY OF CENTERVILLE HEREBY RESOLVES:

SECTION 1. The bid of the L. P Cavett Company, Part #1 Asphalt, marked Exhibit "A" attached hereto and made a part hereof, and the bid of the TdM Construction Company, Part #2 Concrete, marked Exhibit "B" are hereby accepted, total amount not to exceed Three Hundred Fifty Thousand Dollars (\$350,000.00, and the City Manager is hereby authorized and directed to enter into any necessary contracts to evidence acceptance of said bids and to make payment pursuant thereto.

PASSED this 16th day of April, 1990.

  
Mayor of the City of  
Centerville, Ohio

ATTEST:

Marilyn J. Sander  
Clerk of the Council of the  
City of Centerville, Ohio

CERTIFICATE

The undersigned, Clerk of the Council of the City of Centerville, Ohio, hereby certifies that the foregoing is a true and correct copy of Resolution Number 4-90, passed by the Council of the City of Centerville, Ohio, on the 16th day of April, 1990.

Marilyn J. Sander  
Clerk of Council

Approved as to form, consistency  
with the Charter and Constitutional Provisions.  
Department of Law  
Robert N. Farquhar  
Municipal Attorney

*Cavett*

PROPOSAL

EXHIBIT A

To the City of Centerville for the construction of CENTERVILLE - ROAD IMPROVEMENTS 1990

The signer of this Proposal as bidder declares that he has examined the attached Specifications and Form of Contract, the Advertisement, the Instructions to Bidders, the General Conditions, the Supplemental General Conditions, the Special Conditions, and the Technical Specifications, the Plans and the site of the work, as applicable, and that he will contract to do all the work and furnish all the materials called for by said Plans and Specifications, in the manner and on the conditions required for the following prices, to-wit:

Time Completion: See Bidding Instructions

CENTERVILLE BID

PROPOSAL

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material & Labor	Total Price
				Material	Labor		
<b>PART # 1</b>							
1.	404	4800 Tons	Asphalt overlay 1 1/4" to 2" thickness on asphalt and concrete streets including 600 tons for 1/2" leveling courses at locations designated by Engineer; roadside cleanup; eradication of grass and vegetation along curb in streets to be resurfaced (see bidding instruction #17 & specifications)	16.00	7.30	23.30	111,840.00
2.	407	9730 Gal.	Tack coat 0.2 Gal per sq.yd.	.01	.01	.02	194.60
3.	202 301	250 Sq. Yds.	Excavate, dispose & replace defective asphalt pavement areas (6" deep) including pavement cutting & replacement with 301 bituminous aggregate (per detail)	4.50	17.35	21.85	5462.50

P R O P O S A L

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material & Labor	Total Price
				Material	Labor		
4.	202 301 404	100 Sq. Yds.	Excavate, dispose & replace defective asphalt pavement areas (6" deep) including pavement cutting & replacement with 301 bituminous aggregate base & 404 wearing course (per detail)	4.50	17.35	21.85	2185.00
5.	202	7,500 Sq. Yds.	Pavement Planing 0 - 2"; total cost to City with credit given for salvaged material (per detail)		1.05	1.05	7875.00
6.		1480 L.F.	Joint on crack repair - milling, with sealing and filling with asphalt concrete; (per detail)	.30	3.00	3.30	4884.00
7.		1800 L.F.	Crack sealing (1/2" to 1" wide) and 1" wide and over; (per detail)	.05	.47	.52	936.00
8.		26,000 L.F.	Longitudinal and transverse joints - cleaning and sealing including fabric cover; (per detail)	.40	.45	1.05	27,300.00
9.	604	23 ea.	Adjust Manholes (per detail)	70.00	30.00	100.00	2,300.00
10.	604	10 ea.	Adjust water valves (per detail)	25.00	25.00	50.00	500.00
11.	614	Lump Sum	Maintenance of Traffic		500.00	500.00	500.00

PART # 1 SUBTOTAL

163,977.10

P R O P O S A L

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material & Labor	Total Price
				Material	Labor		
<b>PART # 2</b>							
12.	202 452	1750 Sq. Yds.	Excavate existing 6" concrete pavement to suitable sub-base, dispose defective concrete pavement and replace with 4" of 304 crushed limestone base & 6" of plain Portland cement concrete with integral curb				
13.		300 L.F.	Saw cut existing concrete pave- for subsequent removal of defective areas				
14.	310	100 Cu. Yds.	Sub-base excavation & dispose, placing compacted 304 aggregate in place (as directed by Engineer)				
15.	202 609 659	1240 L.F.	Curb removal & replacement Concrete curb cast in place, and restore disturbed areas (per detail)				
16.	202 452	100 Sq. Yds.	Excavate & replace existing drive- ways, dispose material, replace with 6" Class "C" concrete and 4" of granular base				
17.	202 404	50 Sq. Yds.	Excavate existing asphalt driveway parking approaches, dispose material & replace with 4" of asphalt concrete (404)				

P R O P O S A L

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material	Total Price
				Material	Labor		
18.	608	4800 S.F.	Installation of new sidewalk 4' wide, 4" thick, including 4" gravel bedding, backfill adjustments and restoration				
19.	608	60 S.F.	Installation of curb ramps including adjustments to existing curbs				
20.	608	100 S.F.	Removal of defective concrete sidewalk and replace with 4" concrete including backfill adjustments & restoration				
21.	605 707.15	500 L.F.	Install 4" plastic tile trench underdrain (behind curb in grass area) (per detail)				
22.	605 707.15	100 L.F.	Install 4" plastic tile underdrain behind curb under 6" concrete driveways (per detail)				
23.	605 707.01	100 L.F.	Install 6" perforated galvanized steel pipe in pavement (per detail)				
24.	604	10 ea.	Minor repair of Type 3 catch basin - replacing apron, one wall and mortar finish with concrete				
25.	604	5 ea.	Major repair of Type 3 catch basin - Total Reconstruction (two or more walls to rebuild)				
26.	614	Lump Sum	Maintenance of Traffic				

PART #2 SUBTOTAL

P R O P O S A L

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material	Total Price
				Material	Labor		
			PART 1 BID REFERENCE #'s 1 thru & including 11	TOTAL	163,977.10		
			PART 2 BID REFERENCE #'s 12 thru 25	TOTAL			
				GRAND TOTAL	163,977.10		

*L.P. CAWZET Co.*

Signature *Robert L. Mount V.P.* Date *April 11, 1990*  
*600 STEPHEN AVE.*  
*CINCINNATI, OHIO 45215*

PROPOSAL

TDM EXHIBIT B

To the City of Centerville for the construction of CENTERVILLE - ROAD IMPROVEMENTS 1990

The signer of this Proposal as bidder declares that he has examined the attached Specifications and Form of Contract, the Advertisement, the Instructions to Bidders, the General Conditions, the Supplemental General Conditions, the Special Conditions, and the Technical Specifications, the Plans and the site of the work, as applicable, and that he will contract to do all the work and furnish all the materials called for by said Plans and Specifications, in the manner and on the conditions required for the following prices, to-wit:

Time Completion: See Bidding Instructions

CENTERVILLE BID

PROPOSAL

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material & Labor	Total Price
				Material	Labor		
<b>PART # 1</b>							
1.	404	4800 Tons	Asphalt overlay 1 1/4" to 2" thickness on asphalt and concrete streets including 600 tons for 1/2" leveling courses at locations designated by Engineer; roadside cleanup; eradication of grass and vegetation along curb in streets to be resurfaced (see bidding instruction #17 & specifications)	16.00	7.50	23.50	112,800.00
2.	407	9730 Gal.	Tack coat 0.2 Gal per sq.yd.	0.5	0.5	.10	973.00
3.	202 301	250 Sq. Yds.	Excavate, dispose & replace defective asphalt pavement areas (6" deep) including pavement cutting & replacement with 301 bituminous aggregate (per detail)	16.00	5.95	21.95	5,487.50

P R O P O S A L

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material & Labor	Total Price
				Material	Labor		
4.	202 301 404	100 Sq. Yds.	Excavate, dispose & replace defective asphalt pavement areas (6" deep) including pavement cutting & replacement with 301 bituminous aggregate base & 404 wearing course (per detail)	15.00	6.95	21.95	2,195.00
5.	202	7,500 Sq. Yds.	Pavement Planing 0 - 2"; total cost to City with credit given for salvaged material (per detail)	—	1.05	1.05	7,875.00
6.		1480 L.F.	Joint on crack repair - milling, with sealing and filling with asphalt concrete; (per detail)	0.30	3.10	3.40	5,032.00
7.		1800 L.F.	Crack sealing (1/2" to 1" wide) and 1" wide and over; (per detail)	0.5	0.47	0.52	936.00
8.		26,000 L.F.	Longitudinal and transverse joints - cleaning and sealing including fabric cover; (per detail)	0.60	0.45	1.05	27,300.00
9.	604	23 ea.	Adjust Manholes (per detail)	50.00	50.00	100.00	2,300.00
10.	604	10 ea.	Adjust water valves (per detail)	25.00	25.00	50.00	500.00
11.	614	Lump Sum	Maintenance of Traffic	—	2,500.00	2,500.00	2,500.00

PART # 1 SUBTOTAL 167,898.50

P R O P O S A L

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material & Labor	Total Price
				Material	Labor		
<b>PART # 2</b>							
12.	202 452	1750 Sq. Yds.	Excavate existing 6" concrete pavement to suitable sub-base, dispose defective concrete pavement and replace with 4" of 304 crushed limestone base & 6" of plain Portland cement concrete with integral curb	9.50	22.00	31.50	55,125.00
13.		300 L.F.	Saw cut existing concrete pave- for subsequent removal of defective areas	—	3.00	3.00	900.00
14.	310	100 Cu. Yds.	Sub-base excavation & dispose, placing compacted 304 aggregate in place (as directed by Engineer)	16.00	5.00	21.00	2,100.00
15.	202 609 659	1240 L.F.	Curb removal & replacement Concrete curb cast in place, and restore disturbed areas (per detail)	3.00	21.00	24.00	29,760.00
16.	202 452	100 Sq. Yds.	Excavate & replace existing drive- ways, dispose material, replace with 6" Class "C" concrete and 4" of granular base	5.00	30.50	35.50	3,550.00
17.	202 404	50 Sq. Yds.	Excavate existing asphalt driveway parking approaches, dispose material & replace with 4" of asphalt concrete (404)	10.00	16.00	26.00	1,300.00

P R O P O S A L

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material	Total Price
				Material	Labor		
18.	608	4800 S.F.	Installation of new sidewalk 4' wide, 4" thick, including 4" gravel bedding, backfill adjustments and restoration	1.00	1.85	2.85	13,680.00
19.	608	60 S.F.	Installation of curb ramps including adjustments to existing curbs	2.00	3.00	5.00	300.00
20.	608	100 S.F.	Removal of defective concrete sidewalk and replace with 4" concrete including backfill adjustments & restoration	1.00	2.50	3.50	350.00
21.	605 707.15	500 L.F.	Install 4" plastic tile trench underdrain (behind curb in grass area) (per detail)	5.00	9.50	14.50	7,250.00
22.	605 707.15	100 L.F.	Install 4" plastic tile underdrain behind curb under 6" concrete driveways (per detail)	12.00	9.00	21.00	2,100.00
23.	605 707.01	100 L.F.	Install 6" perforated galvanized steel pipe in pavement (per detail)	10.00	6.00	16.00	1,600.00
24.	604	10 ea.	Minor repair of Type 3 catch basin - replacing apron, one wall and mortar finish with concrete	75.00	275.00	350.00	3,500.00
25.	604	5 ea.	Major repair of Type 3 catch basin - Total Reconstruction (two or more walls to rebuild)	200.00	550.00	750.00	3,750.00
26.	614	Lump Sum	Maintenance of Traffic	—	3,000.00	3,000.00	3,000.00

PART #2 SUBTOTAL 128,265.00

P R O P O S A L

Ref. No.	Item No.	Est. Qty.	Description	Unit Price		Total Sum of Material	Total Price
				Material	Labor		
			PART 1 BID REFERENCE #'s 1 thru & including 11	TOTAL		167,898.50	
			PART 2 BID REFERENCE #'s 12 thru 25	TOTAL		128,265.00	
GRAND TOTAL				296,163.50			

Signature X Tommy Petts      Date April 11<sup>th</sup>, 1990