

RESOLUTION NO. 4-88
CITY OF CENTERVILLE, OHIO

SPONSORED BY COUNCILMAN Sally Beels ON THE
15th DAY OF February, 1988.

A RESOLUTION ACCEPTING THE BID OF MIDWEST EPOKE TO SUPPLY ONE COMPLETE TRASH LOADING SYSTEM TO THE CITY OF CENTERVILLE AND TO AUTHORIZE THE CITY MANAGER TO ENTER INTO A CONTRACT IN CONNECTION THEREWITH.

WHEREAS, the City advertised for bidders for one complete trash loading system for the City of Centerville, pursuant to specifications prepared by the City; and

WHEREAS, Midwest Epoke was the lowest and best bidder;

NOW, THEREFORE, THE MUNICIPALITY OF CENTERVILLE HEREBY RESOLVES:

SECTION 1. The bid of Midwest Epoke marked Exhibit "A" attached hereto and made a part hereof in the amount of \$49,250.00 is hereby accepted and the City Manager is hereby authorized and directed to enter into any necessary contract to evidence acceptance of said bid and to make payment pursuant thereto.

PASSED this 15th day of February
1988.


Mayor of the City of
Centerville, Ohio

ATTEST:


Clerk of the Council of the
City of Centerville, Ohio

CERTIFICATE

The undersigned, Clerk of the Council of the City of Centerville, Ohio, hereby certifies that the foregoing is a true and correct copy of Resolution Number 4-88, passed by the Council of the City of Centerville, Ohio, on the 15th day of February, 1988.

Wanda J. M. Laughlin
Clerk of Council

Approved as to form, consistency
with the Charter and Constitutional Provisions.
Department of Law
Robert N. Farquhar
Municipal Attorney



MIDWEST EPOKE

2711R LANCE DRIVE, DAYTON, OHIO 45409 513-294-5775

A New Era of Environmental Equipment

QUOTATION

TO: City Manager
City of Centerville
100 W. Spring Valley Road
Centerville, Ohio 45459

DATE: December 9, 1987
FOB POINT: Centerville, Ohio
DELIVERY: See Below
TERMS: Net 15
TAXES: Added if required

REFERENCE: NOTICE TO BIDDERS

QTY	DESCRIPTION	PRICE
1	Petersen Model TL-3 Lightning Loader with TT-1 trailer and trailer package mounted on a 1988 Chevrolet Model C7D042. FOB Centerville, Ohio.....	\$ 49,931.00
1	Petersen Model TL-3 Lightening Loader with TT-1 trailer and trailer package mounted on a 1988 GMC Model TC6D042. FOB Centerville, Ohio.....	\$ 49,250.00
1	Petersen Model TL-3 Lightning Loader with TT-1 trailer and trailer package mounted on the City of Centerville's chassis delivered to Lake Wales, FL. FOB Centerville, Ohio.....	\$ 29,995.00
The above prices are in response to Alternate (A). If Alternate (B) is used, deduct \$975.00 from above prices.		
<u>DELIVERY</u> Complete unit (Loader & Chassis) -- 140-160 days ARO Loader only -- 45-60 days after receipt of chassis.		

Price is firm for thirty days from the above date.
Applicable Federal, State and Local taxes must be added.
Manufacturer's standard warranty applies unless stated otherwise.
Deliquent accounts over 30 days will be charged 1 1/2 %/month.

COMMENTS: Continued On Next Page

ACCEPTED: _____

SUBMITTED: MIDWEST EPOKE

NAME: _____

NAME: John S. Wagoner

TITLE: _____

TITLE: President

DATE: _____

DATE: _____



MIDWEST EPOKE

2711R LANCE DRIVE, DAYTON, OHIO 45409 513-294-5775

A New Era of Environmental Equipment

QUOTATION

TO: City Manager
City of Centerville
100 W. Spring Valley Road
Centerville, Ohio 45459

DATE: December 9, 1987
FOB POINT: Centerville, Ohio
DELIVERY: See Above
TERMS: Net 15
TAXES: Added if required

REFERENCE: NOTICE TO BIDDERS

QTY	DESCRIPTION	PRICE
	If gasoline engine is acceptable in lieu of diesel, deduct:	
	\$2,679.00 from Chevrolet price	
	\$2,261.00 from GMC price	
	<u>OPTIONAL EQUIPMENT</u>	
	Lightning Barrell Dumper.....	\$ 3,995.00
	CBC-1 Catch Basin Cleaner.....	\$ 5,995.00

Price is firm for thirty days from the above date.
Applicable Federal, State and Local taxes must be added.
Manufacturer's standard warranty applies unless stated otherwise.
Deliquent accounts over 30 days will be charged 1 1/2 %/month.

COMMENTS: _____

ACCEPTED: _____

SUBMITTED: MIDWEST EPOKE

NAME: _____

NAME: John S. Wagener

TITLE: _____

TITLE: President

DATE: _____

DATE: _____

CITY OF CENTERVILLE

SPECIFICATIONS

HYDRAULIC TRASH LOADING SYSTEM

PURPOSE

It is the purpose of these specifications to describe a truck mounted hydraulic trash loading system with a detachable dump trailer.

GENERAL TERMS

The following specifications shall be minimum requirements. All equipment furnished under this contract shall be new, unused 1988 production model. Accessories not specifically mentioned herein, but necessary to furnish a complete unit ready for use, shall also be included. Unit must conform to the best practice known to the industry in design, quality of materials and workmanship. The buyer reserves the right to waive or take exception to these specifications if it be to the buyer's advantage or best interest.

The apparent silence of this specification and any supplemental specifications as to any details or the omission from it of a detailed description concerning any point shall be regarded as meaning that only the best commercial practices are to prevail. All interpretations of this specification shall be made upon the basis of this statement.

Any additions, deletions or variations from the following specifications must be noted on the specification and documentation forms supplied. All items appearing in the bidder's regularly published specifications are assumed to be included in the bidder's proposal. Any unit bid is required to meet O.S.H.A. standards and requirements.

PAYMENT FOR THE UNIT WILL BE CONTINGENT UPON DELIVERY AND ACCEPTANCE OF THE COMPLETED UNIT BY THE CITY OF CENTERVILLE.

SPECIFICATION AND DOCUMENTATION OF COMPLIANCE

<u>ITEM</u>	<u>MINIMUM REQUIREMENT</u>	<u>BIDDER PROPOSAL</u>
<u>1988 CHEVROLET MODEL C7D042</u>		
A. <u>ENGINE: (DIESEL)</u>		
1. Engine size V8	<u>8.2 L</u>	<u>x *</u>
2. Gross horsepower	<u>170</u>	<u>x</u>
(Alternate - gas V8	<u>6.0 L</u>	(366 cu in Gas Eng V-8)
3. Water separator	<u>Diesel</u>	<u>x</u>
4. Air cleaner	<u>H. D.</u>	<u>x</u>
5. Engine coolant and low oil pressure warning lights & buzzer	<u>Required</u>	<u>x</u>
6. Fuel capacity	<u>50 gal.</u>	<u>x</u>
7. H.D. radiator	<u>Required</u>	<u>x</u>
B. <u>DRIVE TRAIN:</u>		
1. Automatic tran. AT	<u>545 or equal</u>	<u>x</u>
2. Rear axle	<u>19,000</u>	<u>x</u>
3. Brakes	<u>Dual hydr.</u>	<u>x</u>
C. <u>CHASSIS:</u>		
1. G.V.W.	<u>24,500</u>	<u>x</u>
2. Frame	<u>H. D. L reinforced</u>	<u>x</u>
3. Front axle capacity	<u>7,000</u>	<u>x</u>
4. Conventional cab	<u>Required</u>	<u>x</u>
5. C.A.	<u>84"</u>	<u>x</u>
6. Wheel base	<u>149"</u>	<u>x</u>
7. Springs	<u>match GVW with 2250# aux rear</u>	<u>x</u>

* DETROIT DIESEL V-8

D. WHEELS AND TIRES:

- | | | | |
|----|------------------------|------------------|----------|
| 1. | H.D. 7.0
cast spoke | <u>Required</u> | <u>X</u> |
| 2. | Tires - 12 ply | <u>9.00 x 20</u> | <u>X</u> |

E. BRAKES:

- | | | | |
|----|----------------|-----------------|----------|
| 1. | Dual hydraulic | <u>Required</u> | <u>X</u> |
| 2. | Parking brake | <u>Required</u> | <u>X</u> |

F. STEERING:

- | | | | |
|----|------------|-----------------|----------|
| 1. | Full power | <u>Required</u> | <u>X</u> |
|----|------------|-----------------|----------|

G. ELECTRICAL:

- | | | | |
|----|--------------------------|---------------------|---------------|
| 1. | System | <u>12 volt</u> | <u>X</u> |
| 2. | Alternator | <u>H.D. 70 amp</u> | <u>80 AMP</u> |
| 3. | Battery | <u>540 c. c. a.</u> | <u>X</u> |
| 4. | Lighting | <u>U. S. D. T.</u> | <u>X</u> |
| 5. | Electric
backup light | <u>Required</u> | <u>X</u> |
| 6. | Electric
backup alarm | <u>Required</u> | <u>X</u> |

H. CAB:

- | | | | |
|----|---|----------------------------|----------|
| 1. | Configuration | <u>conventional</u> | <u>X</u> |
| 2. | Safety glass
all around | <u>Required</u> | <u>X</u> |
| 3. | Fresh air heater &
defroster system | <u>Required</u> | <u>X</u> |
| 4. | Drivers seat | <u>Full bench</u> | <u>X</u> |
| 5. | Right and left
outside West Coast
mirrors | <u>Required</u> | <u>X</u> |
| 6. | Instrument panel
with full engine
gauges | <u>Required</u> | <u>X</u> |
| 7. | Paint-green | <u>Ditzler-DAR 3255 SC</u> | <u>X</u> |

SPECIFICATION AND DOCUMENTATION OF COMPLIANCE

<u>ITEM</u>	<u>MINIMUM REQUIREMENT</u>	<u>BIDDER PROPOSAL</u>
A. <u>ENGINE: (DIESEL)</u>	<u>GMC Model TC6D042</u>	
1. Engine size V8	<u>8.2 L</u>	<u>8.2 L</u>
2. Gross horsepower	<u>170</u>	<u>170</u>
(Alternate - gas V8	<u>6.0 L</u>	See Options
3. Water separator	<u>Diesel</u>	<u>Inc.</u>
4. Air cleaner	<u>H.D.</u>	<u>Inc.</u>
5. Engine coolant and low oil pressure warning lights & buzzer	<u>Required</u>	<u>Inc.</u>
6. Fuel capacity	<u>50 gal.</u>	<u>Inc.</u>
7. H.D. radiator	<u>Required</u>	<u>Inc.</u>
B. <u>DRIVE TRAIN:</u>		
1. Automatic trans. AT	<u>545 or equal</u>	<u>Inc.</u>
2. Rear axle	<u>19,000</u>	<u>Inc.</u>
3. Brakes	<u>Dual hydr.</u>	<u>Inc.</u>
C. <u>CHASSIS:</u>		
1. G.V.W.	<u>24,500</u>	<u>As Specified</u>
2. Frame	<u>H.D. L reinforced</u>	<u>Inc.</u>
3. Front axle capacity	<u>7,000</u>	<u>Inc.</u>
4. Conventional cab	<u>Required</u>	<u>Inc.</u>
5. C.A.	<u>84"</u>	<u>84"</u>
6. Wheel base	<u>149"</u>	<u>149"</u>
7. Springs	<u>match GVW with 2250# aux rear</u>	<u>Inc.</u>

D. WHEELS AND TIRES:

- | | | | |
|----|------------------------|------------------|-------------|
| 1. | H.D. 7.0
cast spoke | <u>Required</u> | <u>Inc.</u> |
| 2. | Tires - 12 ply | <u>9.00 x 20</u> | <u>Inc.</u> |

E. BRAKES:

- | | | | |
|----|----------------|-----------------|-------------|
| 1. | Dual hydraulic | <u>Required</u> | <u>Inc.</u> |
| 2. | Parking brake | <u>Required</u> | <u>Inc.</u> |

F. STEERING:

- | | | | |
|----|------------|-----------------|-------------|
| 1. | Full power | <u>Required</u> | <u>Inc.</u> |
|----|------------|-----------------|-------------|

G. ELECTRICAL:

- | | | | |
|----|--------------------------|-------------------------------------|-------------|
| 1. | System | <u>12 volt</u> | <u>Inc.</u> |
| 2. | Alternator | <u>H.D. 70 amp</u> 80 amp. w/Diesel | <u>Inc.</u> |
| 3. | Battery | <u>540 c.c. a.</u> Dual w/Diesel | <u>Inc.</u> |
| 4. | Lighting | <u>U.S.D.T.</u> | <u>Inc.</u> |
| 5. | Electric
backup light | <u>Required</u> | <u>Inc.</u> |
| 6. | Electric
backup alarm | <u>Required</u> | <u>Inc.</u> |

H. CAB:

- | | | | |
|----|---|--|------------------|
| 1. | Configuration | <u>conventional</u> | <u>Inc.</u> |
| 2. | Safety glass
all around | <u>Required</u> | <u>Inc.</u> |
| 3. | Fresh air heater &
defroster system | <u>Required</u> | <u>Inc.</u> |
| 4. | Drivers seat | <u>Full bench</u> | <u>Inc.</u> |
| 5. | Right and left
outside West Coast
mirrors | <u>Required</u> | <u>Inc.</u> |
| 6. | Instrument panel
with full engine
gauges | <u>Required</u> | <u>Inc.</u> |
| 7. | Paint-green | Ditzler-DA7-3255-SC
GM #46 WAEA - 7156 | <u>Exception</u> |

I. LOADER:

1.	H.D. A frame type pedestal	<u>Required</u>	<u>X</u>
2.	Boom rotation	<u>400 degrees</u>	<u>280°</u>
3.	Horizontal reach	<u>22'</u>	<u>X *</u>
4.	Lift capacity	<u>2000 # net 22'</u>	<u>X *</u>
5.	Boom pin point	<u>2" case hardened</u>	<u>X</u>
6.	Boom bearings	<u>Replaceable with lubrication points</u>	<u>X</u>
7.	Boom sleeves	<u>Replaceable bushings all sides</u>	<u>X</u>
8.	Boom pins	<u>Case Hardened</u>	<u>X</u>

J. BUCKET:

1.	H.D. forged steel	<u>Required</u>	<u>X</u>
2.	Multi-purpose	<u>Required</u>	<u>X</u>
3.	Leaves & sand	<u>Required</u>	<u>X</u>
4.	Limbs & branches	<u>Required</u>	<u>X</u>
5.	Grapple teeth	<u>Required</u>	<u>X</u>
6.	Load compactor	<u>Required</u>	<u>X</u>
7.	Anti-scalping design	<u>Required</u>	<u>X</u>
8.	Hydraulic rotator	<u>360 degrees</u>	<u>Continuous rotation</u>
9.	Adj. brake	<u>Required</u>	<u>X</u>

K. STABILIZERS:

1.	Street pads	<u>Required</u>	<u>X</u>
2.	Spread	<u>10'</u>	<u>12'</u>
3.	Hydraulic oper.	<u>Required</u>	<u>X</u>

* TO END OF BUCKET

L.	<u>POWER SOURCE:</u>		
	1.	P.T.O.	Front <u>crank mounted</u> <u>X</u>
M.	<u>HYDRAULICS:</u>		
	1.	Tank	<u>36 gal. baffled</u> <u>X</u>
	2.	Cylinders	H.D. chrome rods <u>aluminum pistons</u> <u>X</u>
	3.	Control valves	Stack anti-cav <u>port relief</u> <u>X</u>
	4.	Pump	<u>H.D. job rated</u> <u>X</u>
	5.	Conductors	Heavy wall <u>multi-braid</u> <u>X</u>
	6.	Pressure	<u>Relief at 2400 PSI</u> <u>X</u>
N.	<u>ENGINE CONTROL:</u>		
	1.	Hydraulic	<u>Auto. pressure sensing</u> <u>X</u>
O.	<u>OPERATOR CONTROLS:</u>		
	1.	Side mount	<u>Required</u> <u>X</u>
	2.	Single location	Control all <u>Hyd functions</u> <u>X</u>
	3.	Low profile	<u>1 step</u> <u>X</u>
	4.	Handles	<u>Easy reach center</u> <u>X</u>
	5.	Rotation	<u>Full, with boom</u> <u>X</u>
P.	<u>DUMP TRAILER:</u>		
	1.	Construction	<u>Job rated H.D.</u> <u>X</u>
	2.	Size	<u>20 cu. yd.</u> <u>X</u>
	3.	Capacity	<u>3 tons</u> <u>X</u>
	4.	Floor	<u>3/16 steel</u> <u>X</u>
	5.	Sides	<u>10 gauge</u> <u>X</u>
	6.	Weld	<u>All continuous</u> <u>X</u>
	7.	Tailgate	<u>Full opening</u> <u>X</u>

8.	Hoist	<u>10 Ton cap.</u>	<u>X *</u>
9.	Dump Angle	<u>45 degree</u>	<u>X</u>
10.	Trailer Frame	<u>7" channel</u>	<u>X</u>
11.	Axles	<u>10,000 lbs. single with springs</u>	<u>X</u>
12.	Wheels	<u>Dual 16.5 X 6.75</u>	<u>X</u>
13.	Tires	<u>16.5 X 8.75 10 ply</u>	<u>X</u>
14.	Hitch	<u>H.D. Pintle Hook auto couple</u>	<u>X</u>
15.	Brakes	<u>Electric/Hydraulic</u>	<u>X</u>
16.	Jack Stand	<u>Manual load rated</u>	<u>X</u>
17.	Controls	<u>3 way valve check valve & relief</u>	<u>X</u>
18.	Lighting	<u>U.S.D.T.</u>	<u>X</u>
19.	Electric	<u>Sealed quick couplers</u>	<u>X</u>
20.	Hydraulic	<u>Sealed quick couplers</u>	<u>X</u>
21.	Paint	<u>Rust proof primer 2 coats enamel yellow DuPont Dulux 5522 D</u>	<u>X</u>

* HEIL 1627 FDA

ALTERNATE (A):

Bidders are requested to bid a loader meeting all of the above specifications mounted on a suitable chassis delivered to their place of business by the City of Centerville.

TITLE:

The successful bidder shall furnish to the City a certificate of title in the name of the City of Centerville at no additional cost. Invoice shall be made out in triplicate accompanied with warranty papers on all components at time of delivery.

GUARANTEE:

Bidder shall state warranty, 12 month minimum. Consideration will be given to manufacturers whose warranty exceeds the minimum requirements. The successful bidder shall furnish the manufacturer's owner's service policy. This policy shall be recognized and accepted by all authorized dealers within the state of Ohio regardless of the district or region headquarters in which they operate.

MANUALS:

Two complete parts and service manuals at time of delivery.

DELIVERY:

The completely assembled unit ready for immediate and continuous operation shall be delivered to the City of Centerville, 7970 South Suburban Drive, Centerville, Ohio, 45459, between the hours of 8:00 A.M. and 4:30 P.M. Monday through Thursday and shall be installed by a qualified serviceman. A federal excise tax exemption certificate shall be included with purchase order. A qualified instructor shall spend the time necessary to instruct two service department personnel in complete operations. The successful bidder shall make notification of intention of delivery at least 24 hours prior to delivery. Any delivered vehicle not conforming to the specifications will be rejected and it will be the responsibility of the dealer or manufacturer to comply with the bid requirements. Any contractually unauthorized accessories delivered on the unit cannot and will not be paid for.

ALTERNATE (B):

City of Centerville shall send authorized employees to bidder's place of business for training and acceptance of completed unit.

Time is of the essence. Bidders shall state the least amount of time needed to deliver. A Five Thousand Dollar (\$5,000.00) performance bond will be required to insure timely delivery. Consideration will be given to the bidders with the ability to deliver at the earliest date.

ADVERTISEMENT:

No dealer name, signs, or advertisement shall be affixed to any part of the vehicle.

NOTE: ANY DEVIATIONS OR EXCEPTIONS TO THE CITY OF CENTERVILLE SPECIFICATIONS ARE TO BE LISTED OR NOTED BY THE BIDDER IN HIS BID.