RESOLUTION NO. <u>73-22</u> CITY OF CENTERVILLE, OHIO

SPONSORED BY COUNCILMEMBER JoAnne Ray ON THE 12th DAY OF September, 2022.

A RESOLUTION ACCEPTING THE BID SUBMITTED BY BEST EQUIPMENT COMPANY OF NORTH ROYALTON, OHIO FOR THE PURCHASE OF ONE M2 106 FREIGHTLINER CONVENTIONAL CHASSIS EQUIPPED WITH A LOADMASTER 11-YARD LEGACY BODY AND AUTHORIZING THE CITY MANAGER TO ENTER INTO A CONTRACT IN CONNECTION THEREWITH.

WHEREAS, the City of Centerville received a bid through a Sourcewell contract # 060920-NAF, a national bid consortium according to specifications prepared by the City, and

WHEREAS, Best Equipment Company of North Royalton, Ohio, was the low and best bidder.

NOW, THEREFORE, THE MUNICIPALITY OF CENTERVILLE HEREBY RESOLVES:

Section 1. That the bid submitted by Best Equipment Company of North Royalton, Ohio for the sale of one M2 106 Freightliner conventional chassis equipped with a Loadmaster 11-yard Legacy body unto the City of Centerville for a bid price of \$172,771.76, is hereby accepted, a copy of which is attached hereto, incorporated herein, and Marked Exhibit "A".

<u>Section 2</u>. That the City Manager is hereby authorized to do all things necessary to execute a contract with Best Equipment Company of North Royalton, Ohio, as stated above.

Section 3. This resolution shall become effective at the earliest date allowed by law.

PASSED this 12th day of <u>September</u>, 2022.

Mayor, City of Centerville, Ohio

ATTEST:

Clerk of Council, City of Centerville, Ohio

CERTIFICATE

The undersigned, Clerk of the Council of the City of Centerville, Ohio hereby certifies that the foregoing is a true and correct copy of Resolution Number <u>73-22</u> passed by the Council of the City of Centerville, Ohio on the <u>12th</u> day of <u>September</u>, 2022.

Clerk of Council

Approved as to form, consistency with the Charter and Constitutional Provisions. Department of Law Scott A. Liberman Municipal Attorney

Exhibit "A"



National Auto Fleet Group

490 Auto Center Drive, Watsonville, CA 95076 (855) 289-6572 • (831) 480-8497 Fax Fleet@NationalAutoFleetGroup.com

3/2/2021

Quote ID#1736HD (R1)

Mr. Roger Dawson

City of Centerville 100 West Spring Valley Road Centerville, OH 45458

Dear Roger Dawson,

National Auto Fleet Group is pleased to quote the following vehicle(s) for your consideration. One (1) New/Unused (**2022 Freightliner M2106, Cum B6.7 Engine, Allison 3500 RDS Transmission with 11 YD Legacy3 Rear Loader**) and provided by Mr. Jeff Black with Best Equipment, each for:

	MSRP	Contract Price	Discount	Savings
Chassis and Option Best Equip Quote Tax (0.00%)	\$ 123,985.00	\$ 80,590.25 \$ 92,181.51 \$ 0.00	35.00%	\$ 43,394.75

Total

\$ 172,771.76

This vehicle(s) is available under the Sourcewell (Formerly Known as NJPA) Contract 060920-NAF. Please reference this Bid Number on all Purchase Orders.

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call.

Sincerely,

Ben Rodriguez

Ben Rodriguez HD Contract Manager HD@NationalAutoFleetGroup.com Office (855) 289-6572 Fax (831) 480-8497





Company Address		Quote Number	9412
	Norway, Michigan 49870 (US	Created Date	8/6/2021
Phone	(906) 563-9226	Opportunity Name	210315 - BEST Stock- REL
THONE	(300) 303-3220	Quote Name	210728 - BEST Stock- Legacy 11 A
		Expiration Date	8/31/2021
Prepared By	Al Michaud	Account Name	Best Equipment Co.
Email	amichaud@loadmaster.org	Phone	317-823-3050 💊

Qua	ntity	Part Number	Description
	1.00	3301011	Legacy3 11 Yd Rear Loader
	1.00	9999999	Full Factory Mount New Chassis
	1.00	9999999	Polyurethane Enamel Paint Match Cab
	1.00		Hot Shift PTO w/ Pump Installed Automatic Transmission
	1.00	3311019	Container Bumper Bar
	1.00	0120618	Automatic T/G Locks
	1.00	0120046	Body Side Marker
	1.00	0120503	Camera System w/ Color 7" Flat Screen Third Eye
	1.00	3309010	Contractors's Package Legacy
	1.00	0120600	Drum Winch 8,000 Lb
	1.00	3305009	Dual Clean out Doors*
	1.00	0120799	Fire Extinguisher Mtd Under Body 20 Lb
	1.00	3311051	Gate-side Slide and T/G Base Remote Zerks - Use if equipped with Autolocks
	1.00	3305202	In Cab Controls Auto T/G and Eject
	1.00	3311009	Install Single Center Mounted Tipper w/Loadmaster Hydraulics
	1.00	0120078	LED Strobe System (4) 4" Dia Body & T/G Standard Body
	1.00	9938002	Perkins D6220
	1.00	0120662	Power Release Hook Holder w/Cable Guide
	1.00	0120424	Shovel & Broom Holder Both Sides
	1.00	3311025	Sweep Base Remote Zerks - Use if equipped with Autolocks
	1.00	0120606	Uni Latch Coupler

Quote Comments



Have truck engine remote throttle programmed to 1200 RPM prior to shipping truck to Loadmaster

Aft of Rear Axle fuel tanks will require a fuel tank move and will be the responsibility of the Dealer

Loadmaster will make every effort to deliver quoted equipment within the time frame stated. However by accepting this the dealer/customer agrees that Loadmaster is not responsible for any monetary damages (including but not limited to chassis floor plan interest) which may result

from Loadmaster's inability to produce the equipment within the time frame stated.

Loadmaster will make no guarantee that Paint Match Cab will be 100% exact

Pack on the Go is standard, if Pack in Neutral is desired, it must be requested on the order



Prepared by: Bobby Smith Stoops Freightliner - Indianapolis 1851 W. THOMPSON RD INDIANAPOLIS, IN 46217 Phone: 317-788-1533

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-26M	M2 PRL-26M (EFF:7/26/21)			
Data Version				
DRL-014	SPECPRO21 DATA RELEASE VER 014			
Vehicle Configuration	tion			
001-172	M2 106 CONVENTIONAL CHASSIS	5,709	3,503	
004-222	2022 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-002	STRAIGHT TRUCK PROVISION			
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-002	TRUCK CONFIGURATION			
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-001	REFUSE SERVICE			
A84-1SA	SANITATION BUSINESS SEGMENT			
AA4-003	DRY BULK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-091	MEDIUM TRUCK WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 8000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 18000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 26000.0 lbs			

×	The lot and image cannot be objected.	The file may have learn meaned, resume	ni, ur deleteni. Parify that the link paints in	ive served file and is



		Description	Front	Rear
Truck \$	Service			
	AA3-062	REFUSE, SIDE LOAD OR REAR PACKER BODY - DOES NOT UNLOAD IN A LANDFILL		
	AF3-1D0	LOAD-MASTER		
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in		
Engine)			
Ν	101-21X	CUM B6.7 300 HP @ 2600 RPM, 2600 GOV, 660 LB-FT @ 1600 RPM		
Electro	nic Paramet	ers		
	79A-075	75 MPH ROAD SPEED LIMIT		
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
	79K-014	PTO MODE ENGINE RPM LIMIT - 1800 RPM		
	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
	79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM		
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
	80G-002	PTO MINIMUM RPM - 700		
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
Engine	Equipment			
	99C-021	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION		
	99D-010	NO 2008 CARB EMISSION CERTIFICATION		
	13E-001	STANDARD OIL PAN		
	105-001	ENGINE MOUNTED OIL CHECK AND FILL		
	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
	292-205	(2) DTNA GENUINE, FLOODED STARTING, MIN 1900CCA, 350RC, THREADED STUD BATTERIES		
	290-017	BATTERY BOX FRAME MOUNTED		
	281-001	STANDARD BATTERY JUMPERS		
	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
	289-001	NON-POLISHED BATTERY BOX COVER		

	×	The location operators for all played.	The fair may been inserveneed,	resumani, ur dalakkal. Darify t	nd the lock primities for served like
--	---	--	--------------------------------	---------------------------------	---------------------------------------



Da	ta Code	Description	Weight Front	Weight Rear	
871	P-001	CAB AUXILIARY POWER CABLE	5		
293	3-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	10		
107	7-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
108	8-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			
13 [,]	1-013	AIR COMPRESSOR DISCHARGE LINE			
152	2-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128	8-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		
016	6-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	
281	F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
239	9-020	10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
237	7-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
231	U-001	6 GALLON DIESEL EXHAUST FLUID TANK			
301	N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
432	X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
23)	Y-002	DIESEL EXHAUST FLUID PUMP MOUNTED AFT OF DIESEL EXHAUST FLUID TANK			
43`	Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
242	2-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)			
273	3-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
276	6-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110	0-003	CUMMINS SPIN ON FUEL FILTER			
118	8-001	FULL FLOW OIL FILTER			
266	6-100	700 SQUARE INCH ALUMINUM RADIATOR			
103	3-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
17 [,]	1-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			

The Information proceed in definition of the Dar ray have been reasonal, warrand, or defined. Weyl had the Dar product later of the	and b
---	-------



Data Code	Description	Weight Front	Weight Rear	
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
166-002	PHILLIPS-TEMRO 150 WATT/115 VOLT OIL PREHEATER	4		
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
134-001	ALUMINUM FLYWHEEL HOUSING			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH			
Transmission				
342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60	
Transmission Equi	pment			
343-312	ALLISON VOCATIONAL PACKAGE 142 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS			
84B-013	ALLISON VOCATIONAL RATING FOR REFUSE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			

¥	The locationage cannot be abaptions.	The file may base loser-massed, sense	nai, ur árátail, Yarif) that the àris	picture or set for and in	÷
<u> </u>					



	Data Code	Description	Weight Front	Weight Rear
	84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
	84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED		
	84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
	353-067	VEHICLE INTERFACE WIRING CONNECTOR WITH PDM AND BLUNT CUTS, AT BACK OF CAB		
	34C-002	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR MOUNTED BACK OF CAB		
	362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO		
	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION		
	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
	345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
	97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
	370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
	346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front A	Axle and Equi	pment		
	400-1A5	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
	402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES		
	403-002	NON-ASBESTOS FRONT BRAKE LINING		
	419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS		
	409-006	FRONT OIL SEALS		
	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
	536-050	TRW THP-60 POWER STEERING		
	539-003	POWER STEERING PUMP		
	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		





Data Code	Description	Weight Front	Weight Rear	
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			
Front Suspension				
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION	42		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equ	ipment			
420-1G7	DETROIT DA-RS-20.0-4 20,000# R-SERIES SINGLE REAR AXLE		10	
421-556	5.56 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-079	MXL 16T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-20	-20	
423-085	MERITOR 16.5X8.62 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		20	
440-006	REAR OIL SEALS			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-001	MINERAL SAE 80/90 REAR AXLE LUBE			
Rear Suspension				
622-1FE	20,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER, WITH RADIUS ROD		70	
621-001	SPRING SUSPENSION - NO AXLE SPACERS			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
623-005	FORE/AFT CONTROL RODS			
Brake System				
018-002	AIR BRAKE PACKAGE			
490-100	WABCO 4S/4M ABS			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			

The behaviory random be delayed	al. The file may base loser-receal, second	nd, or deleted. Yorky that the link points in the correct line of
---------------------------------	--	---



Prepared by: Bobby Smith Stoops Freightliner - Indianapolis 1851 W. THOMPSON RD INDIANAPOLIS, IN 46217 Phone: 317-788-1533

C	Data Code	Description	Weight Front	Weight Rear	
4	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
4	13-002	STD U.S. FRONT BRAKE VALVE			
4	132-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
4	180-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			
4	179-015	AIR DRYER FRAME MOUNTED			
4	460-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION			
4	177-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
Trailer Co	onnections				
3	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
3	32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			
Wheelbas	se & Frame				
5	545-417	4175MM (164 INCH) WHEELBASE			
5	546-021	5/16X3.00X10-1/8 INCH STEEL FRAME (7.94MMX257.2MM/0.312X10.13 INCH) 50KSI	-100	30	
5	552-134	1050MM (41 INCH) REAR FRAME OVERHANG			
5	55W-004	FRAME OVERHANG RANGE: 41 INCH TO 50 INCH	20	-70	
А	\C8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 98.82 in			
А	\E8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 95.82 in			
Ą	\E4-99D	CALC'D FRAME LENGTH - OVERALL : 244.65 in			
F	SS-0LH	CALCULATED FRAME SPACE LH SIDE : 43.04 in			
F	SS-0RH	CALCULATED FRAME SPACE RH SIDE : 126.77 in			
A	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 92.45 in			
5	553-001	SQUARE END OF FRAME			
5	550-001	FRONT CLOSING CROSSMEMBER			
5	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
5	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			
5	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
5	572-001	STANDARD REARMOST CROSSMEMBER			

Chassis Equipment





Data Code	Description	Weight Front	Weight Rear
556-1AR	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS	30	
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15	
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
551-002	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS		
Fuel Tanks			
204-195	60 GALLON/227 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	30	
218-005	RECTANGULAR FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-1H8	DAVCO 245 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR	5	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
093-1R1	CONTINENTAL HSL2 ECO PLUS 11R22.5 16 PLY RADIAL FRONT TIRES	12	
094-1YX	CONTINENTAL HSC3 11R22.5 16 PLY RADIAL REAR TIRES		96
Hubs			
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels			
502-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT 5.80 INSET ALUMINUM DISC FRONT WHEELS	-56	
505-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-112
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
495-998	NO PUSHER/TAG WHEEL MOUNTING NUTS		
Application Version 1 Data Version PRL-26			09/08/2021 12:59 P

×	The bilant image named for displays. The file way base bencement, research, or defined. Verify that the bid points in the second file and to	



Data Code	Description	Weight Front	Weight Rear	
Cab Exterior				
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
650-008	AIR CAB MOUNTING			
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
678-001	LH AND RH GRAB HANDLES			
646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE			
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			
644-004	FIBERGLASS HOOD			
727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED	4		
726-001	SINGLE ELECTRIC HORN			
728-001	SINGLE HORN SHIELD			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-004	KEY QUANTITY OF 4			
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL			
302-047	LED AERODYNAMIC MARKER LIGHTS			
311-001	DAYTIME RUNNING LIGHTS			
294-046	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING WITH SEPARATE STOP/TURN WIRES TO 4 FEET BEYOND END OF FRAME		-5	
300-015	STANDARD FRONT TURN SIGNAL LAMPS			
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			
797-001	DOOR MOUNTED MIRRORS			
796-001	102 INCH EQUIPMENT WIDTH			
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
729-001	STANDARD SIDE/REAR REFLECTORS			
768-043	63X14 INCH TINTED REAR WINDOW			
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4		
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD			
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			

-				
×	The lot and image carrier in adaptaped.	The fill may have been manuf	l, conservant, ur skrietent, tierity ti	at the lost points in the carriest file and is



Data Code	Description	Weight Front	Weight Rear	
Cab Interior				
707-1AK	OPAL GRAY VINYL INTERIOR			
706-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			
708-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			
772-006	BLACK MATS WITH SINGLE INSULATION			
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			
694-010	IN DASH STORAGE BIN			
742-007	(2) CUP HOLDERS LH AND RH DASH			
680-006	GRAY/CHARCOAL FLAT DASH			
720-002	2-1/2 LB. FIRE EXTINGUISHER	5		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			
701-001	STANDARD HVAC DUCTING			
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
170-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY			
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-034	PREMIUM INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS			
655-005	LH AND RH ELECTRIC DOOR LOCKS			
284-101	(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH			
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		
760-235	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT	20		
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			

×	The location operators is a single pair.	The file may have been recent, a	muraal, or deleted. FerPy	that the link points in the serve	The and includes.



Data Code	Description	Weight Front	Weight Rear	
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			
763-101	BLACK SEAT BELTS			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instruments & Con	trols			
732-004	GRAY DRIVER INSTRUMENT PANEL			
734-004	GRAY CENTER INSTRUMENT PANEL			
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			
870-001	BLACK GAUGE BEZELS			
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
148-070	ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE			
163-001	ENGINE REMOTE INTERFACE CONNECTOR AT BACK OF CAB			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS			





	Data Code	Description	Weight Front	Weight Rear
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
	679-998	NO OVERHEAD INSTRUMENT PANEL		
	746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	10	
	747-001	DASH MOUNTED RADIO		
	750-002	(2) RADIO SPEAKERS IN CAB		
	753-008	AM/FM ANTENNA MOUNTED ON LH SIDE MIRROR		
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
	817-001	STANDARD VEHICLE SPEED SENSOR		
	812-001	ELECTRONIC 3000 RPM TACHOMETER		
	162-011	IDLE LIMITER, ELECTRONIC ENGINE		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
Desigr	า			
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-3F6	CAB COLOR A: N0006EA WHITE ELITE SS		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	963-003	STANDARD E COAT/UNDERCOATING		
Certifi	cation / Com			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		
Secon	dary Factory	Options		
	998-001	CORPORATE PDI CENTER IN-SERVICE ONLY		
	erformance [





Prepared by: Bobby Smith Stoops Freightliner - Indianapolis 1851 W. THOMPSON RD INDIANAPOLIS, IN 46217 Phone: 317-788-1533

Data Code	Description	Weight Front	Weight Rear	
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 95.82 in			
 AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 92.45 in			
 _	52.40 m			

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

Adjusted List Price

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	6043 lbs	3607 lbs	9650 lbs
Total Weight ⁺	6043 lbs	3607 lbs	9650 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PNZ-998NO CARB22 BASE WARRANTYPMV-021GHG21 ENHANCEMENT PRICERAG-020CUMMINS TARIFF CHARGE - \$205P73-2FTSTANDARD DESTINATION CHARGE

Extended Warranty

WAG-011 TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES

Application Version 11.6.505 Data Version PRL-26M.014 2023 11YD LOADMASTER LEGACY3



09/08/2021 12:59 PM



Prepared by: Bobby Smith Stoops Freightliner - Indianapolis 1851 W. THOMPSON RD INDIANAPOLIS, IN 46217 Phone: 317-788-1533

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



09/08/2021 12:59 PM